

Preliminary Report

A CURSORY RADIATION SURVEY OF SELECTED ISLANDS OF ENIWETOK ATOLL

I. Introduction

Selected islands of Eniwetok Atoll were surveyed for radiological conditions from July 14, 1971 to July 21, 1971, by Mr. Charles F. Costa, EPA, and Mr. O. D. T. Lynch, Jr., USAEC, in partial support of the DNA/AFWL PACE Program (Project MICRO-ATOLL). Particular attention was focused on the islands of Engibe (JANET) and Runit (YVONNE), the islands of immediate interest to the PACE Program. The survey of all islands visited, however, was necessarily brief due to the allotted survey time (six days) and the number of personnel (two monitors).

2. Islands Surveyed

The following is a listing of islands surveyed during the above-mentioned period:

From NMB-K

<u>Geographical Name</u>	<u>Code Name</u>
Engibe	JANET
Runit	YVONNE
Rojoa	URSULA
Bijiri	TILDA
Aranit (or Aomon)	SALLY
Bogon	IRENE
	HELEN

3. Island Cover

All of the islands surveyed contained considerable vegetation, enough so that movement through the interior of the islands was, in general, difficult. A summary of the island cover follows:

D/C Navy Re. Settlement (Eniwetok)

DEPARTMENT OF ENERGY DECLASSIFICATION REVIEW **BOGATIKK**

REVIEWER: DATE *6/18/94*

THORITY: *100-1000*

ME: *100-1000*

J REVIEWER: DATE *6-16-94*

THORITY: *ADL*

ME: *ADL*

DETERMINATION (CIRCLE NUMBER(S))

1. CLASSIFICATION RETAINED

2. CLASSIFICATION CHANGED TO:

3. CONTAINS NO DOE CLASSIFIED INFO

4. COORDINATE WITH:

5. CLASSIFICATION CANCELLED

DEFENSE INFORMATION

05870

GROUP 3

~~Downgraded for Interc...~~

~~Classification declassified~~

NOTICE: THIS INFORMATION IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE. IT IS UNCLASSIFIED IN ACCORDANCE WITH THE NATIONAL ARCHIVES AND RECORDS ADMINISTRATION DECLASSIFICATION GUIDE, TITLE 38, SECTION 173.4(a) AND (b) OF THE FEDERAL REGISTER, OR THE RULES OF 15 CONFIDENTIAL IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

~~CONFIDENTIAL~~

7238/3108/0062

1616

MESSERSCHMEDIA ARGENTA (BEACH HELIOTROPE)

Found on all islands, generally dense, and up to 20 plus feet in height.

SCAVEOLA TACCADA (SCAVEOLA)

Found on all islands, generally dense, and up to 20 plus feet in height.

IPOMOEA PES-CARPE (MORNING GLORY)

Found on all islands, forming a dense ground cover.

BUNCH GRASS

Found on all islands, forming spotty ground cover.

CASSYTHA FILIFORMIS (LAUREL DODDER, KANIN)

Found on most islands, forming ground and tree cover.

PANDANAS

Single specimen found on the northeast tip of Aranit (SALLY).

MORINDA CETRIFOLIA

Single specimen found in the middle of Aranit (SALLY).

HIPOBOEA

Observed on the northwest tip of Bogon (IRENE).

COCOS NUCIFERA (COCONUT PALM)

Few trees observed on Engibe (JANET) and Runit (YVONNE).

4. Survey Instruments

The following types of instruments were used to perform this survey.

<u>Name</u>	<u>Detector</u>	<u>Radiation Detected</u>	<u>Range</u>
Eberline E-500B	G.M.	$\beta+\gamma, \gamma$	Background - 2R/hr.
Ludlum	Scint.	γ	Background - 3000 μ R/hr.
PAC-1S	Scint.	α	0 - 2 x 10 ⁶ cpm

Exposure rate measurements were taken three feet above the ground. Since contact readings were generally similar to exposure rate measurements, only exposure rates are reported unless the difference was significant. Where the difference was significant it is noted on the attached survey sheets.

72 38/3108 / 0063

1617

~~CONFIDENTIAL~~

5. Survey Results

A. Engibe (JANET)

General Description

Engibe, a triangular shaped island situated on the north end of the atoll, possessed considerable vegetative growth. Movement through the island was limited to existing test roads, the shoreline, and a large runway on the north end of the island. The island is the home of a large tern rookery situated on the northern end of the island. A survey of the island resulted in measured exposure rates ranging from 10-100 $\mu\text{R}/\text{hour}$ inland and 2-4 $\mu\text{R}/\text{hour}$ along the beaches. Scrap metal with contact gamma readings up to 12 mR/hour was observed.

Exposure Rate Readings

Engibe can be divided into three distinct measurement areas: the area north of the airstrip, the area south of the airstrip, and the areas around the EASY, X-RAY, and ITEM surface ground zeroes (SGZ). In the inland area north of the airstrip, the exposure rates ranged from 20-60 $\mu\text{R}/\text{hour}$, while measurements ranging from 10 to 20 $\mu\text{R}/\text{hour}$ were observed in the inland areas south of the airstrip.

Measurements were made along selected radials from the SGZ's as ground cover would allow. At the site of the EASY Event, the maximum exposure rate observed was 70 $\mu\text{R}/\text{hour}$ on a radial of 135° true, 200 feet from the SGZ, in an area of dense vegetation. In general, 20 $\mu\text{R}/\text{hour}$ was observed throughout most of this area with the exception of the area east of the SGZ which was indicating 40-50 $\mu\text{R}/\text{hour}$. At the site of the X-RAY Event, the maximum exposure rate observed was 100 $\mu\text{R}/\text{hour}$ (120 $\mu\text{R}/\text{hour}$ ground contact) on a radial of 030° true, approximately 400 feet from the SGZ (also densely vegetated). General exposure rates around the SGZ ranged from 50-70 $\mu\text{R}/\text{hour}$. At the site of the ITEM Event (the only readily apparent SGZ on Engibe), the crater of which appears as a large burned out area on the northern tip of the island, the maximum exposure rate observed was about 5 $\mu\text{R}/\text{hour}$. This rather low level is probably due to the lack of vegetation,

~~CONFIDENTIAL~~

SD797

7238

3108/PO64

1618

~~CONFIDENTIAL~~

the lack of any top soil or other loose ground cover, and the sweeping effect of the tide - the crater was open to the ocean side of the reef.

Scrap metal (contact readings)

Large quantities of activated scrap metal were found near the SGZ's, probably constituting the major radiological hazard on Engibe. The maximum reading observed on scrap metal was 12 mR/hour. This reading was obtained from a large twisted I-beam wrapped around a metal collimator located on the northwest end of the island, just north of the large bunker.

Alpha contamination

No surface alpha activity was detected on Engibe.

B. Runit (YVONNE)

General Description

Runit is a long slender island situated on the eastern side of the atoll. Runit possessed somewhat less vegetative cover than Engibe, thus making location and identification of SGZ's easier. Travel on the island was done mostly on the main road running the length of the island. A survey of Runit resulted in measured exposure rates ranging from a few μ R/hour to 1 mR/hour. Scrap metal with contact gamma readings up to 35 mR/hour was observed. Alpha contamination in soil and in vegetation was detected near the FIG Event site. Count rates up to 3000 cpm (measured with a PAC-1S) in wet soil were observed.

Exposure Rate Readings

One day was allotted to the radiation survey of Runit, thus allowing only enough time to survey the northern half of the island. Measured exposure rates observed in the middle portion of the island averaged 15 μ R/hour. These readings persisted to within about 300 feet of the CACTUS crater lip. A survey along a transect across the island through the ZEBRA Event site indicated exposure rates ranging from 4 to 8 μ R/hour. Readings along a transect across the island through the FIG Event site ranged from 1 to 6 μ R/hour. The highest measured exposure rates on the entire atoll (1 mR/hr) occurred on top of the crater lip located at the southern end of the CACTUS

~~CONFIDENTIAL~~

7235/3108/PO

1619

~~CONFIDENTIAL~~

crater. At the crater's immediate edge (crater filled with water) readings ranged from 40 to 100 μ R/hour.

Scrap Metal (contact readings)

Large quantities of activated scrap metal were observed near the CACTUS and LACROSSE Event sites. Trenches excavated for the purpose of collecting soil and ground water samples exposed considerable metal debris. The maximum reading observed on scrap metal was 32 mR/hour closed shield, 35 mR/hour open shield. This piece of scrap metal, a partially buried I-beam, was observed on the island road near bunker Hartack Station 182-01 (Greenhouse Station 57). General scrap metal contact readings ranged from 100 μ R/hour to about 8 mR/hour.

Alpha Contamination

Alpha contamination was detected along a 65 foot length of the berm on the ocean side of the beach near the FIG Event. The contamination was confined to a vein of relatively dark sand, from 3 to 8 inches thick, found exposed on the berm near Redwing Station 1311.05 (bunker). The wet soil yielded up to 3000 cpm (measured with a PAC-1S) on the vertical face of the vein. Some black plastic sheeting and cables were observed in this layer. To determine the extent of the alpha contamination, a trench was dug between the FIG SGZ and the beach. Alpha contamination was detected at a depth of 8 inches. Two additional trenches, one 300 feet north and another 200 feet south of the FIG SGZ, just off the ocean side of the road, yielded no detectable alpha activity to a depth of two feet. However, alpha activity was detected on bunch grass located adjacent to the north trench.

Rojoa (URSULA), Biijiri (TILDA) and Aranit (SALLY)

General Description

Rojoa, Biijiri, and Aranit islands are three larger islands on the northeast portion of the atoll. They are connected by a bridge (Rojoa and Biijiri) and a causeway (Biijiri and Aranit). All of the islands are generally densely vegetated with the exception of the northeast end of

~~CONFIDENTIAL~~

7238/3108/POB

1620

Aranit which was found to be free of dense ground cover.

Exposure Rate Reading

Measured exposure rates on Rojoa and Biijiri were relatively low, 5-10 μ R/hour and 1-4 μ R/hour respectively. On Aranit, the maximum exposure rate observed was 150 μ R/hour near the western end of the island. Exposure rates throughout the island averaged between 60 and 100 μ R/hour.

Scrap Metal

Very little scrap metal was evident on any of the above islands. On Biijiri, a piece of scrap metal on the northeast end of the island had a contact reading of 1 mR/hour while scrap metal evident on Aranit ranged from 250 to 800 μ R/hour on contact.

Alpha Contamination

No surface alpha activity was detected on Rojoa, Biijiri, or Aranit.

Bogairikk (HELEN) and Bogon (IRENE)

General Description

Bogairikk island now consists of nothing more than a small, sparsely vegetated "islet", which is almost an extension of the sandbar originating from the southwest corner of Bogon. Bogon is much larger, with considerable vegetation and several large bushes. Movement in the interior of Bogon was very difficult due to the extensive growth of CASSYTHA FILIFORMIS, which not only covered the ground, but also formed a formidable barrier on trees and on bunkers.

Exposure Rate Readings

Measured exposure rates on Bogairikk averaged 10 μ R/hour. On Bogon, exposure rates were considerably higher. On the southeast side of the SEMINOLE crater on what appears to be darkened coral, exposure and ground contact rates up to 300 μ R/hour were measured. The average exposure rate was about 100 μ R/hour. Along the northern half of Bogon, exposure rates

7238/3108/

POB

1621

~~CONFIDENTIAL~~

up to 400 μ R/hour were observed with an average reading of 100 μ R/hour. Readings along the southern portion of Bogon ranged from 10-50 μ R/hour.

Scrap Metal

Some scrap metal was observed on both islands, most of it concentrated around the SEMINOLE crater. Contact readings ranged from 0.3 to 0.5 mR/hour.

Alpha Contamination

No surface alpha activity was detected on Bogairikk or Bogon.

Environmental Samples

The collection of environmental samples was limited to the islands of Engibe and Runit. On Engibe, surface (1-2.5 cm) and profile (20 cm) soil samples were collected from the EASY, X-RAY, and ITEM Event sites. Also, several surface soil samples were collected at the site of the beryllium contaminated area on the northwest tip of the island. Two ground water samples were collected on the island from the fresh water lens at approximately 6 to 8 feet in depth. A surface water sample was obtained from the water in the ITEM Event crater.

On Runit, surface and depth soil samples were collected from the CACTUS, LACROSSE, and FIG Event sites. One ground water sample (from the island's fresh water lens) was collected and one vegetation (bunch grass) sample was collected near the FIG site. All samples are presently being analyzed by EPA/WERL and the results will be available at a later date.

Conclusions

As a preliminary evaluation, it seems apparent from the cursory radiological survey performed that Runit (YVONNE) presents the greatest radiological hazard of any of the islands surveyed. Large quantities of scrap metal are evident along the reef near the LACROSSE site and to a lesser extent inland. The maximum contact reading on scrap metal (35 mR/hour) was observed on

~~CONFIDENTIAL~~

1622

~~CONFIDENTIAL~~

this island. If this is indicative of what low level activated surface scrap metal reads, then it is realistic to expect to find buried scrap metal of significantly higher activity.

Alpha contamination was found on the ocean side of Runit (a review of several earlier reports on decontamination attempts on Runit suggests alpha contamination to be buried on the lagoon side) near the site of the FIG Event. Contamination appears to be confined to a vein of darkened sand which in some places along the beach is exposed to the wear and tear of the elements. The maximum reading observed on this contaminated wet sand was 3000 cpm measured with a PAC-1S. Alpha activity was also observed on bunch grass located approximately 300 ^{feet} yards north of the FIG site. The boundaries of the contaminated area were not delineated because of the lack of time. Also, predictions of the levels of contamination one can expect buried near the FIG site cannot be made based on results of this survey.

The highest measured exposure rate levels on the atoll were also found on Runit, at the lip of the CACTUS crater. A maximum exposure rate of 1 mR/hour was measured at that location. Runit has been used by both Kentron and Coast Guard personnel stationed on Eniwetok as a recreation island.

The radiological conditions of the other islands are significantly better than that on Runit. The only problem area appears to be surface - and thus the possibility of subsurface-activated scrap metal, especially on Engibe and Aranit. On Engibe, a portion of the northwest tip of the island near the large concrete bunker has been contaminated with beryllium from past rocket tests.

Recommendations

The following are our recommendations based on the radiation survey. These recommendations may be modified somewhat when the sample results are completed.

~~CONFIDENTIAL~~

1623

~~CONFIDENTIAL~~

- A. A comprehensive radiation survey of the entire atoll should be made to document the radiological situation as it exists to date, preferably prior to any possible alteration of the atoll eco-system as a result of PACE program activities.
- B. The boundaries of the alpha contaminated area on Runit should be defined and posted as an off-limit no digging area as soon as possible. In conjunction with this, modifications to the berm possessing the layer of alpha contaminated sand should be made in order to stop further erosion of contaminated soil onto the beach.
- C. Radiation warning signs should be placed on the lip of the CACTUS crater.
- D. Agencies working on the atoll should be advised that removal of scrap metal is prohibited without rad-safe approval.
- E. In light of the objectives of the PACE program, continuous rad-safe support of the program is recommended to evaluate the radiological conditions and hazards of any metal debris and contaminated soil uncovered or resuspended by excavation and other test activities.

7238-3108-0070

~~CONFIDENTIAL~~

1624

1163

100



3108-0073

ARADIT (SALLY)

N 130,000

N 129,000


N 128,000

RADIOLOGICAL SURVEY OF BINNITOK ATOLL BIIJIRI (TILDA) AND ROJOA (URSULA) IS.

JULY 1971

OPTL 7/20/71

SURVEY INSTRUMENT: LUDLUM SCINT. REC # 60119




~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

E 116,000

8291



RADIOLOGICAL SURVEY, ENIWETOK ATOLL
JULY 1971

(JANET) ENGEBI LAGOON
X LOCATION OF READING.

ALL READINGS ARE EXPOSURE RATES (hr) EXCEPT AS SHOWN. ALL CONTACT. IN MOST CASES 1/2 IS NOT SIGNIFICANTLY DIFFERENT THAN CONTACT READINGS.

- o WATER SAMPLE
- NEW BENCH LINE
- * Be soil sample
- o SOIL TRENCH (PT) ALL ALPHA NEGATIVE

NOTES:
1. CONDITIONS OR EXISTING STATIONS WERE DETERMINED BY EXTERIOR INSPECTION WITHOUT EXCAVATION OR OTHER MATERIAL.
2. ALL ELEVATIONS SHOWN ARE BASED UPON A CLOSED PARCHER LEVEL CIRCUIT RISE FROM TAD STA. BLK 1 (CL. 11.00).
3. DATUM (BLK 1.00) IS APPROX. 1 FT. BELOW MEAN LOW WATER SPRINGS.


REVISIONS		
NO.	DATE	DESCRIPTION

U. S. ARMY ENGINEERS
HOLMES & NORTON
ENGINEERS - CORP.

CONFIDENTIAL

3104/1022/1075

~~CONFIDENTIAL~~



~~CONFIDENTIAL~~

- NOTES:
1. CONDITIONS OR SPECIFIC DATA WERE OBTAINED BY EXTENSIVE PROVISION WITHOUT EXCAVATION OF GROUND MATERIAL.
 2. ALL DIMENSIONS SHOWN ARE BASED UPON A CHORD PARALLEL LEVEL-CURVE RUN FROM THE STA. 100+00 (E.C. 10+00).
 3. DATUM (E.L. 0.0) IS APPROX. 5 FT. BELOW MEAN LOW WATER PRICES.


REVISIONS			
NO.	DATE	REVISION	BY

U.S. NAVY
 ENGINEER-CONSULTANTS
 ...

1629

CONFIDENTIAL

CONFIDENTIAL



SCALE 1" = 50 FT.

O C E A N

3108X723.4 / P076

GENERAL
EXPOSED
ROCK
30-40 ft

ROCKERY


ANCHOR BLOCKS
SHOWING
STA. &
PILE CONDITIONS

100 ft
25 ft
110 ft
15 ft
45 ft
15 ft
60 ft
40 ft
25 ft
60 ft
25 ft

OFFSHORE
STA. 5018
UNUS. SUR.

ANTHROPIC
ST. 5018
EXPOSURE

ANTHROPIC
ST. 5018
EXPOSURE



- NOTES:**
1. CONDITIONS OF SCIENTIFIC STATIONS WERE DETERMINED BY EXTERIOR INSPECTION WITHOUT EXCAVATION OR COVER MATERIAL.
 2. ALL ELEVATIONS SHOWN ARE BASED UPON A CLOSED FREGES LEVEL CIRCUIT RUN FROM TAI. STA. 5018 (SL. NO. 03).
 3. DATUM (SL. NO. 00) IS APPROX. 1/2 FT. BELOW MEAN LOW WATER SPRINGS.

OFFICIAL USE ONLY


REVISIONS				
NO.	DATE	DESCRIPTION	CHKD.	APP.

U. S. ARMY ENGINEERING CENTER
 HOUSTON, TEXAS

HOLMES & HARVEY, INC.
 ENGINEERS-CONSTRUCTORS
 810 BUENA VISTA STREET
 LOS ANGELES 12, CALIF.

TOPOGRAPHY
 575-10000

1630



CONFIDENTIAL

310 85/7234/ P077

CONFIDENTIAL

- NOTES:**
1. ELEVATIONS ON CORNERIFIC STATIONS WERE DETERMINED BY EXTENSIVE INSPECTIONS WITHOUT EXCAVATION OF COVER MATERIAL.
 2. ALL ELEVATIONS SHOWN ARE BASED UPON A CLOSED PRECISE LEVEL (EIGHT NUM FROM T.M. STA. ELEV. (E.L. - 15.00)).
 3. DASHED (E.L. - 15.00) IS APPROX. (BT. BELT) MEAN LOW WATER SPRINGS.

REVISIONS			
NO.	DATE	DESCRIPTION	BY

U. S. ARMY ENGINEER COMMISSION
 HOLLIS & HAVER, Inc.
 ENGINEERS-CONSTRUCTORS
 510 101-102 ST. N.W. WASHINGTON, D. C. 20004



1631

3105/7230/P079

~~CONFIDENTIAL~~

OCEAN

~~CONFIDENTIAL~~




- NOTES:**
1. ELEVATIONS ON EXISTING STATIONS WERE DETERMINED BY EXTENSIVE RECONSTRUCTION WITHOUT EXCAVATIONS OR COVER MATERIAL.
 2. ALL ELEVATIONS SHOWN ARE BASED UPON A CLINED PRECISE LEVEL SIGHT RUN FROM THE STA. POINT (2110.00).
 3. DATUM (2110.00) IS APPROX. 1 FT. BELOW MEAN LOW WATER SURFACE.

REVISIONS			
NO.	DATE	DESCRIPTION	BY

U. S. ARMY ENGINEER CENTER
 WOLTERS & BARBER, INC.
 ENGINEERS-CORPORATE
 220 W. 11th St. - Des Moines, Iowa

O C E A N

~~CONFIDENTIAL~~



3108/7235/0080

~~CONFIDENTIAL~~

NOTES:

1. CONDITIONS IN SCIENTIFIC STATIONS WERE DETERMINED BY EXTERIOR INSPECTION WITHOUT EXCAVATION OF COVER MATERIAL.
2. ALL ELEVATIONS SHOWN ARE BASED UPON A CLOSED PNEUMIC LEVEL CIRCUIT RUN FROM THE SEA LEVEL (84.000).
3. DATUM (84.000) IS APPROX. 1 FT. BELOW MEAN LOW WATER SPRINGS.

REVISIONS

NO.	DATE	BY	REVISION

U. S. ATOMIC ENERGY COMMISSION

FORNES & NAVY, Inc.
ENGINEERS-CONSTRUCTORS

OFFICIAL USE ONLY


TOP SECRET

1634

CONFIDENTIAL

CONFIDENTIAL

3108/7230/PO81



- NOTES:**
1. EXPLANATIONS OF SCIENTIFIC SYMBOLS WHEN DETERMINED BY EXPERTS INTERPRETATION WITHOUT EXCAVATION OF OTHER MATERIALS.
 2. ALL ELEVATIONS SHOWN ARE BASED UPON 7 CLIFFED PACE LEVEL. CIRCUIT RUN FROM THE STAR SLATS (2742.00).
 3. DATA (BL. O. DR) IS APPROX. 1/2 FT. BELOW MEAN LOW WATER SPRINGS.


REVISIONS			
NO.	DATE	DESCRIPTION	BY

U. S. GEOLOGICAL SURVEY
 ALL INFORMATION CONTAINED
 HEREIN IS UNCLASSIFIED
 DATE 08-14-2010 BY 60322 UCBAW/STP
HOINES CONSULTING INC.
ENGINEERS-CONSTRUCTORS

11635

CONFIDENTIAL

CONFIDENTIAL




NOTE:
 * GREENHOUSE SERIES 70 & 71 STATIONS, ALL UNUSABLE.
 * IVY SERIES 62'S STATIONS, ALL USABLE.

- NOTES:
1. DIMENSIONS OF STRUCTURE DRAWINGS WERE DETERMINED BY EXTENSION MEASUREMENTS TAKEN AT VARIOUS POINTS AT VARIOUS TIMES.
 2. ALL DIMENSIONS GIVEN ARE IN FEET UNLESS OTHERWISE SPECIFIED.
 3. DATE: 11/10/64

3101/72384
 P085
 SC2001

CONFIDENTIAL

CONFIDENTIAL




3105/7235
P086

- NOTES:**
1. DIMENSIONS OF BUILDINGS AND OTHER STRUCTURES ARE SHOWN BY DIMENSION LINES AND DIMENSIONAL SYMBOLS.
 2. ALL DIMENSIONS ARE IN FEET UNLESS OTHERWISE SPECIFIED.
 3. DATE (1953-00) IS APPROX. 5PM.
 4. ALL STRUCTURES IN CAMP AREA ARE DIMENSIONED.

REVISIONS			
NO.	DATE	DESCRIPTION	BY

11640

~~CONFIDENTIAL~~



3108-7238
P092

~~CONFIDENTIAL~~

- NOTES
1. DIMENSIONS OF EXISTING STRUCTURES WERE DETERMINED BY EXTENSION INDICATOR WITHOUT EXPANSION OF EXISTING DIMENSIONS.
 2. ALL ELEVATIONS UNLESS OTHERWISE SHOWN ARE BASED UPON A CLOSED LEVEL CIRCUIT RUN FROM A BENCH MARK (U.S.G.S. 1450).

REVISIONS	
NO.	DATE

U. S. ARMY CORPS OF ENGINEERS
 DISTRICT OFFICE
 WASHINGTON, D. C.
 ENGINEER IN CHARGE
 PROJECT NO. 1450

1646

