

SURVEY METER

READINGS


Average Values of Surveymeter Readings on Land at Rongelap
and Kabelle Islands on Different Dates (Values in mr/hr)


404856

Date	<u>Rongelap Island</u>			
	3' closed	3' open	1" closed	1" open
Jan. 25/30/55	0.5			
Oct. -Nov. -55	0.2	1.4	0.38	2.2
July 23-24/56	0.4	1.4	0.5	2.7
July 1957	0.071	0.27	0.14	0.61
March 1958	0.029	0.21	0.064	0.48
Aug. 1958	0.058	0.10	0.087	0.14
March 1959	0.032	0.083	0.042	0.16
Sept. 1959	0.031	0.081	0.042	0.12


	<u>Kabelle Island</u>			
	3' closed	3' open	1" closed	1" open
Mar. 26/54	280.	490.	420.	1800
July 16/54	32.		110.	
Jan. 25/30/55	3.0		5.0	
Oct. -Nov. -55			2.5	9.2
July 23-24/56	1.2	4.7	2.3	9.1
July 1957	0.20	0.54	0.31	1.3
March 1958	0.14	0.72	0.29	1.1
Aug. 1958	0.16	0.35	0.18	0.58
March 1959	0.10	0.39	0.13	0.69
Sept. 1959	0.069	0.21	0.077	0.31

	<u>Eniaetok Island</u>			
	3' closed	3' open	1" closed	1" open
Jan. 25-30/55	2.0			
March 1958	0.067	0.47	0.17	0.83
Aug. 1958	0.076	0.12	0.10	0.22
March 1959	0.048	0.14	0.070	0.26
Sept. 1959	0.051	0.13	0.056	0.18





20c



GAMMA DOSE RATES AT
THREE FEET ABOVE
GROUND IN MR/HR.
AVERAGE VALUES FOLLOWED
BY MAXIMUM VALUES IN
PARENTHESES.
SEPTEMBER, 1959