

PEARL (LUGOR) SUBSURFACE SAMPLING - VICINITY OF INCA GZ

DATE 4 JAN 78

PARAMETER

GROSS α AND $\mu R/hr$, LOG

DEPTH (cm) 0-20

NOTES:


36 GROSS α , pCi/gm
140 $\mu R/hr$, LOG

REPOSITORY P.N.N.L.
COLLECTION Marshall Islands
BOX No. 5685
FOLDER EAG Soil

• = SAMPLE LOCATION
SCALE: 1" = 25 m

REMARKS Samples were counted for α before ball-milling.

409872



PEARL (LUGOR) SUBSURFACE SAMPLING - VICINITY OF INCA GZ

DATE 4 JAN 78

PARAMETER

GROSS α AND μR/hr, LOG

DEPTH (cm) 20-40

NOTES:


4 GROSS α, pCi/gm
45 μR/hr, LOG

• = SAMPLE LOCATION

SCALE: 1" = 25 m

REMARKS

Samples were counted for α before ball-milling.



PEARL (LUNAR) SUBSURFACE SAMPLING - VICINITY OF INCA GZ

DATE 4 JAN 78

PARAMETER

GROSS α AND $\mu R/hr/LoE$

DEPTH (cm) 40-60

NOTES:


3 GROSS α , 1 P Ci/gm
13 = $\mu R/hr$, LOG

• = SAMPLE LOCATION

SCALE: 1" = 25 m

REMARKS

Samples counted for gross α before ball-milling.



1

PEARL (LUJOR) SUBSURFACE SAMPLING - VICINITY OF INCA 62

DATE 4 JAN 78

PARAMETER


GROSS α AND $\mu R/hr, LOG$

DEPTH (cm) 60-80

NOTES:

5 GROSS α , pCi/gm
 3.5 = $\mu R/hr, LOG$

- = NO SAMPLE AT THIS DEPTH
 • = SAMPLE LOCATION
 SCALE: 1" = 25 m



REMARKS samples were counted for α before ball-milling.

PEAR (LUGOR) SUBSURFACE SAMPLING - VICINITY OF INCA GZ

DATE 4 JAN 78

PARAMETER

GROSS α AND $\mu R/hr, LOG$

DEPTH (cm) 80-100

NOTES:


3 GROSS α , $\mu Ci/gm$

3.9 $\mu R/hr, LOG$

- = NO SAMPLE AT THIS DEPTH

• = SAMPLE LOCATION

SCALE: 1" = 25 m



REMARKS Samples counted for gross α before ball-milling.

PEARL (LUTOR) SUBSURFACE SAMPLING - VICINITY OF INCA 62

DATE 4 JAN 78

PARAMETER

GROSS α AND $\mu R/hr/LOG$

DEPTH (cm) 100-120


NOTES:

3 = GROSS α , PC/gm
 1.7 = $\mu R/hr$, LOG

-- NO SAMPLE AT THIS DEPTH

• = SAMPLE LOCATION

SCALE: 1" = 25 m



REMARKS: Samples counted for gross α before ball-milling.