SPECIFIC GUIDANCE FOR 239, 240 PU

< 40 pCi/g NO ACTION

40 - 400 pCi/g ACTION CONSIDERED ON A CASE-BY-CASE BASIS

> 400 pCi/g CORRECTIVE ACTION REQUIRED.

FOR ISLAND SOILS WITH 40-400 pCi/g:

- 1. DIVIDE ISLANDS INTO TWO CATEGORIES
 - a. TOO SMALL FOR PERMANENT HOUSING
 - b. LARGE ENOUGH FOR PERMANENT HOUSES.
- 2. REMOVAL OF CONTAMINATED SOIL BETTER JUSTIFIED FOR ISLANDS THAT MAY SOMEDAY HAVE PERMANENT HOUSING.
- 3. FUTURE OF SMALL ISLANDS UNCERTAIN. THESE ARE OF LESS CONCERN.
- 4. AMOUNT OF EFFORT PROPERLY GIVEN INCREASES AS SOIL CONCENTRATIONS INCREASE.
- 5. WHEN ACTION IS TAKEN, OBJECTIVE IS TO ACHIEVE SUB-STANTIAL REDUCTION IN SOIL CONCENTRATION OF PU AND TO REDUCE TO LOWEST PRACTICABLE LEVEL.

BEST COPY AVAILABLE

SEVERAL MECERATIONS OF LATOURIE

*"A PROPOSED INTERIM STANDARD FOR PLUTONIUM IN SOILS,"
BY J. W. HEALY

**THE VALUE 400 pCi/g WAS RECOMMENDED FOR ALL PARTICLE SIZES PROVIDED NO MORE THAN 200 pCi/g in <100 MM SIZE FRACTION.

| FEDERAL STANDARDS | | AEC GUIDES | PREDICTED DOSE |
|-------------------|----------|--------------|----------------|
| MHOIN BODY | 0.59 | 0. 23 | 0.13 |
| Bone Marrow | 0.50 | 0. 25 | 0.15 |
| Genetic** | 5 | 4 | 2, 2 |

AIR MONITORING RESULTS

YVONNE SOIL SAMPLING

| LOCATION | 239, 240 DU CONCENTRATION |
|---------------------------------|---|
| LAPEL MONITOR | 1.6 pCi/m ³ |
| 10' DOWNWIND SAMPLING TRENCH | 9.5 X 10 ⁻² pCi/m ³ |
| BACKGROUND | 7.4 X 10 ⁻³ pCi/m ³ |

MPC

RADIATION WORKER 2 pCi/m³
INDIVIDUAL (GENERAL PUBLIC) 6 X 10⁻² pCi/m³

SPECIFIC GUIDANCE FOR 239, 240 PU

< 40 pCi/g NO ACTION

40 - 400 pCi/g ACTION CONSIDERED ON A CASE-BY-CASE BASIS

> 400 pCi/g CORRECTIVE ACTION REQUIRED.

FOR ISLAND SOILS WITH 40-400 pCi/g:

- 1. DIVIDE ISLANDS INTO TWO CATEGORIES
 - a. TOO SMALL FOR PERMANENT HOUSING
 - b. LARGE ENOUGH FOR PERMANENT HOUSES.
- 2. REMOVAL OF CONTAMINATED SOIL BETTER JUSTIFIED FOR ISLANDS THAT MAY SOMEDAY HAVE PERMANENT HOUSING.
- 3. FUTURE OF SMALL ISLANDS UNCERTAIN. THESE ARE OF LESS CONCERN.
- 4. AMOUNT OF EFFORT PROPERLY GIVEN INCREASES AS SOIL CONCENTRATIONS INCREASE.
- 5. WHEN ACTION IS TAKEN, OBJECTIVE IS TO ACHIEVE SUB-STANTIAL REDUCTION IN SOIL CONCENTRATION OF PU AND TO REDUCE TO LOWEST PRACTICABLE LEVEL.

DEVELOPMENT OF SOIL CONCENTRATIONS ASSOCIATED WITH MPC FOR 239, 240 PU IN AIR

LLL

RESUSPENSION-FACTOR APPROACH 1,000 pCi/g
MASS - LOADING APPROACH 600 pCi/g

LA-5483 - MS*

INTERIM STANDARD - CONSIDERING 400 pCi/g**
SEVERAL MECHANISMS OF EXPOSURE

- *"A PROPOSED INTERIM STANDARD FOR PLUTONIUM IN SOILS," BY J. W. HEALY
- **THE VALUE 400 pCi/g WAS RECOMMENDED FOR ALL PARTICLE SIZES PROVIDED NO MORE THAN 200 pCi/g in <100 MM SIZE FRACTION.

| FEDERAL STAIDARDS | | ADC GUDDES | PREDICTED DOSE |
|-------------------------|--------------|------------|----------------|
| amone bodl _s | c. 50 | C., 23 | G. 13 |
| BONE MARROW | 0.50 | 6, 23 | 0.15 |
| Genetic ** | 5 | 4 | 2, 2 |


AIR MODITORING RESULTS

YVONNE SOIL SAMPLING

| LOCATION | 239, 240 FU CONCENTRATION |
|------------------------------|---|
| LAPEL MONITOR | 1.6 pCi/m ³ |
| 10' DOWNWIND SAMPLING TREMCH | 9.5 × 10 ⁻² pCi/m ³ |
| BACKGROUND | 7.4 × 10 ⁻³ pCi/m ³ |

MPC

RADIATION WORKER 2 pCi/m³
INDIVIDUAL (GENERAL PUBLIC) 6 X 10⁻² pCi/m³



DEVELOPMENT OF SOIL-CONCENTRATIONS ASSOCIATED WITH MPC FOR 239, 240 PU IN AIR


LLL

RESUSPENSION-FACTOR APPROACH 1,000 pCi/g
MASS - LOADING APPROACH 600 pCi/g

LA -5483 - MS*

JNTERIM STANDARD - CONSIDERING 400 pCi/g **
SEVERAL MECHANISMS OF EMPOSURE

- *"A PROPOSED INTERIM STANDARD FOR PLUTONIUM IN SOILS," BY J. W. HEALY
- **THE VALUE 400 pCi/g WAS RECOMMENDED FOR ALL PARTICLE SIZES PROVIDED NO MORE THAN 200 pCi/g in <100 MM SIZE FRACTION.



LAPEL MONITOR

1.6 pCi/m³

10' DOWNWIND SAMPLING TRENCH 9.5 X 10⁻² pCi/m³

BACKGROUND

 $7.4 \times 10^{-3} \text{ pCi/m}^3$

MPC

RADIATION WORKER

2 pCi/m³

INDIVIDUAL (GENERAL PUBLIC) 6 X 10-2 pCi/m3

SPECIFIC GUIDANCE FOR 239, 240 PU

< 40 pCi/g NO ACTION

40 - 400 pCi/g ACTION CONSIDERED ON A CASE-BY-CASE BASIS

> 400 pCi/g CORRECTIVE ACTION REQUIRED.

FOR ISLAND SOILS WITH 40-400 pCi/g:

- 1. DIVIDE ISLANDS INTO TWO CATEGORIES
 - a. TOO SMALL FOR PERMANENT HOUSING
 - b. LARGE ENOUGH FOR PERMANENT HOUSES.
- 2. REMOVAL OF CONTAMINATED SOIL BETTER JUSTIFIED FOR ISLANDS THAT MAY SOMEDAY HAVE PERMANENT HOUSING.
- 3. FUTURE OF SMALL ISLANDS UNCERTAIN. THESE ARE OF LESS CONCERN.
- 4. AMOUNT OF EFFORT PROPERLY GIVEN INCREASES AS SOIL CONCENTRATIONS INCREASE.
- 5. WHEN ACTION IS TAKEN, OBJECTIVE IS TO ACHIEVE SUB-STANTIAL REDUCTION IN SOIL CONCENTRATION OF PU AND TO REDUCE TO LOWEST PRACTICABLE LEVEL.

DEVELOPMENT OF SOIL-CONCENTRATIONS ASSOCIATED WITH MPC FOR 239, 240 PU IN AIR

LLL

RESUSPENSION-FACTOR APPROACH 1,000 pCi/g
MASS - LOADING APPROACH 600 pCi/g

LA-5483 - MS*

INTERIM STANDARD - CONSIDERING SEVERAL MECHANISMS OF EXPOSURE 400 pCi/g**

- *"A PROPOSED INTERIM STANDARD FOR PLUTONIUM IN SOILS," BY J. W. HEALY
- **THE VALUE 400 pCi/g WAS RECOMMENDED FOR ALL PARTICLE SIZES PROVIDED NO MORE THAN 200 pCi/g in <100 MM SIZE FRACTION.

| FEDERAL STANDARDS | | AFC GUIDIS | PREDICTED DOSE |
|--------------------------|---------------|--------------|----------------|
| ahore boda _{\$} | 6.50 | 0. 23 | C. 13 |
| eone marrow | 0, 5 0 | 0. 25 | 0.15 |
| GENETIC *** | ; \$2 | & | 2. 2 |

AIR MONITORING RESULTS

YVONNE SOIL SAMPLING

| LCCATION | 239, 240 PU CONCENTRATION |
|---------------------------------|---|
| LAPEL MONITOR | 1.6 pCi/m ³ |
| 10' DOWNWIND SAMPLING TRENCH | 9.5 × 10 ⁻² pCi/m ³ |
| BACKGROUND | 7.4 X 10 ⁻³ pCi/m ³ |

MPC

RADIATION WORKER 2 pCi/m³
INDIVIDUAL (GENERAL PUBLIC) 6 X 10⁻² pCi/m³

D. LANGE ENCOURS

- 2. REMOVAL OF CONTAMINATED SOIL BETTER JUSTIFIED FOR ISLANDS THAT MAY SOMEDAY HAVE PERMANENT HOUSING.
- 3. FUTURE OF SMALL ISLANDS UNCERTAIN. THESE ARE OF LESS CONCERN.
- 4. AMOUNT OF EFFORT PROPERLY GIVEN INCREASES AS SOIL CONCENTRATIONS INCREASE.
- 5. WHEN ACTION IS TAKEN, OBJECTIVE IS TO ACHIEVE SUB-STANTIAL REDUCTION IN SOIL CONCENTRATION OF PU AND TO REDUCE TO LOWEST PRACTICABLE LEVEL.

ASSOCIATED WITH MPC FOR 239, 240 PU IN AIR

LLL

RESUSPENSION-FACTOR APPROACH

1,000 pCi/g

MASS - LOADING APPROACH

600 pCi/g


LA-5483 - MS*

INTERIM STANDARD - CONSUDERING SEVERAL MECHANISMS OF ENPOSURE

400 pCi/g**

- *"A PROPOSED INTERIM STANDARD FOR PLUTONIUM IN SOILS," BY J. W. HEALY
- **THE VALUE 400 pCi/g WAS RECOMMENDED FOR ALL PARTICLE SIZES PROVIDED NO MORE THAN 200 pCi/g in <100 MM SIZE FRACTION.

| FEDERAL STANDARDS | | AEC GUDES | PREDICTED DOSE |
|-------------------|----------|-----------|----------------|
| whole body | 0.50 | 0. 73 | 0.13 |
| EONE MARROW | 0.50 | C. 23 | 0.15 |
| GENETIC** | 5 | 4 | 2, 2 |



SPECIFIC GUIDANCE FOR 239, 240 PU

< 40 pCi/g NO ACTION

40 - 400 pCi/g ACTION CONSIDERED ON A CASE-BY-CASE BASIS

> 400 pCi/g CORRECTIVE ACTION REQUIRED.

FOR ISLAND SOILS WITH 40-400 pCi/g:

- 1. DIVIDE ISLANDS INTO TWO CATEGORIES
 - a. TOO SMALL FOR PERMANENT HOUSING
 - b. LARGE ENOUGH FOR PERMANENT HOUSES.
- 2. REMOVAL OF CONTAMINATED SOIL BETTER JUSTIFIED FOR ISLANDS THAT MAY SOMEDAY HAVE PERMANENT HOUSING.
- 3. FUTURE OF SMALL ISLANDS UNCERTAIN. THESE ARE OF LESS CONCERN.
- 4. AMOUNT OF EFFORT PROPERLY GIVEN INCREASES AS SOIL CONCENTRATIONS INCREASE.
- 5. WHEN ACTION IS TAKEN, OBJECTIVE IS TO ACHIEVE SUB-STANTIAL REDUCTION IN SOIL CONCENTRATION OF PU AND TO REDUCE TO LOWEST PRACTICABLE LEVEL.

SEVERAL MECHANISMS OF EXPOSURE *"A PROPOSED INTERIM STANDARD FOR PLUTONIUM IN SOILS," BY J. W. HEALY **THE VALUE 400 pCi/g WAS RECOMMENDED FOR ALL PARTICLE SIZES PROVIDED NO MORE THAN 200 pCi/g in < 100 MM SIZE FRACTION.

BOWE MARKOW 0.50 0.15

GENETIC***

5 4 2.2

RADIATION WORKER

2 pCi/m³

INDIVIDUAL (GENERAL PUBLIC) 6 X 10⁻² pCi/m³

- ISLANDS THAT MAY SOMEDAY HAVE PERMANENT HOUSING.
- 3. FUTURE OF SMALL ISLANDS UNCERTAIN. THESE ARE OF LESS CONCERN.
- 4. AMOUNT OF EFFORT PROPERLY GIVEN INCREASES AS SOIL CONCENTRATIONS INCREASE.
- 5. WHEN ACTION IS TAKEN, OBJECTIVE IS TO ACHIEVE SUB-STANTIAL REDUCTION IN SOIL CONCENTRATION OF PU AND TO REDUCE TO LOWEST PRACTICABLE LEVEL.

DEVELOPMENT OF SOIL-CONCENTRATIONS ASSOCIATED WITH MPC FOR 239, 240 PU IN AIR


LLL

RESUSPENSION-FACTOR APPROACH 1,000 pCi/g
MASS - LOADING APPROACH 600 pCi/g

LA-5483 - MS*

INTERIM STANDARD - CONSIDERING 400 pCi/g**
SEVERAL MECHANISMS OF EXPOSURE

- *"A PROPOSED INTERIM STANDARD FOR PLUTONIUM IN SOILS," BY J. W. HEALY
- **THE VALUE 400 pCi/g WAS RECOMMENDED FOR ALL PARTICLE SIZES PROVIDED NO MORE THAN 200 pCi/g in <100 MM SIZE FRACTION.



AIR MONITORING RESULTS

YVONNE SOIL SAMPLING

| LOCATION | 239, 240 PU CONCENTRATION |
|---------------------------------|---|
| LAPEL MONITOR | 1.6 pCi/m ³ |
| 10' DOWNWIND SAMPLING TRENCH | 9.5 X 10 ⁻² pCi/m ³ |
| BACKGROUND | 7.4 X 10 ⁻³ pCi/m ³ |
| | • |

MPC

RADIATION WORKER 2 pCi/m³
INDIVIDUAL (GENERAL PUBLIC) 6 X 10⁻² pCi/m³

SPECIFIC GUIDANCE FOR 239, 240 PU

< 40 pCi/g NO ACTION

40 - 400 pCi/g ACTION CONSIDERED ON A CASE-BY-CASE BASIS

> 400 pCi/g CORRECTIVE ACTION REQUIRED.

FOR ISLAND SOILS WITH 40-400 pCi/g:

- 1. DIVIDE ISLANDS INTO TWO CATEGORIES
 - a. TOO SMALL FOR PERMANENT HOUSING
 - b. LARGE ENOUGH FOR PERMANENT HOUSES.
- 2. REMOVAL OF CONTAMINATED SOIL BETTER JUSTIFIED FOR ISLANDS THAT MAY SOMEDAY HAVE PERMANENT HOUSING.
- 3. FUTURE OF SMALL ISLANDS UNCERTAIN. THESE ARE OF LESS CONCERN.
- 4. AMOUNT OF EFFORT PROPERLY GIVEN INCREASES AS SOIL CONCENTRATIONS INCREASE.
- 5. WHEN ACTION IS TAKEN, OBJECTIVE IS TO ACHIEVE SUB-STANTIAL REDUCTION IN SOIL CONCENTRATION OF PU AND TO REDUCE TO LOWEST PRACTICABLE LEVEL.

DEVELOPMENT OF SOIL-CONCENTRATIONS ASSOCIATED WITH MPC FOR ²³⁹, ²⁴⁰PU IN AIR

LLL

RESUSPENSION-FACTOR APPROACH 1,000 pCi/g

MASS - LOADING APPROACH 600 pCi/g

LA-5483 - MS*

INTERIM STANDARD - CONSIDERING 400 pCi/g**
SEVERAL MECHANISMS OF EXPOSURE

- *"A PROPOSED INTERIM STANDARD FOR PLUTONIUM IN SOILS,"
 BY J. W. HEALY
- **THE VALUE 400 pCi/g WAS RECOMMENDED FOR ALL PARTICLE SIZES PROVIDED NO MORE THAN 200 pCi/g in <100 MM SIZE FRACTION.

| FEDERAL STANDARDS | | AEC GUIDES | PREDICTED DOSE |
|-------------------------------------|---------------|------------|----------------|
| whore $\mathtt{Eod}_{\lambda_\phi}$ | C. 59 | 0. 23 | 0.13 |
| BONE MARROW | 0.50 | C. 25 | 0.15 |
| Genetic ** | · 5 | 4 | 2, 2 |

AIR MONITORING RESULTS

YVONNE SOIL SAMPLING

| LOCATION | 239, 240 PU CONCENTRATION |
|---------------------------------|---|
| LAPEL MONITOR | 1.6 pCi/m ³ |
| 10' DOWNWIND SAMPLING TRENCH | 9.5 X 10 ⁻² pCi/m ³ |
| BACKGROUND | $7.4 \times 10^{-3} \text{ pCi/m}^3$ |

MPC

RADIATION WORKER 2 pCi/m³
INDIVIDUAL (GENERAL PUBLIC) 6 X 10⁻² pCi/m³

SPECIFIC GUIDANCE FOR 239, 240 PU

< 40 pCi/g NO ACTION

40 - 400 pCi/g ACTION CONSIDERED ON A CASE-BY-CASE BASIS

> 400 pCi/g CORRECTIVE ACTION REQUIRED.

FOR ISLAND SOILS WITH 40-400 pCi/g:

- 1. DIVIDE ISLANDS INTO TWO CATEGORIES
 - a. TOO SMALL FOR PERMANENT HOUSING
 - b. LARGE ENOUGH FOR PERMANENT HOUSES.
- 2. REMOVAL OF CONTAMINATED SOIL BETTER JUSTIFIED FOR ISLANDS THAT MAY SOMEDAY HAVE PERMANENT HOUSING.
- 3. FUTURE OF SMALL ISLANDS UNCERTAIN. THESE ARE OF LESS CONCERN.
- 4. AMOUNT OF EFFORT PROPERLY GIVEN INCREASES AS SOIL CONCENTRATIONS INCREASE.
- 5. WHEN ACTION IS TAKEN, OBJECTIVE IS TO ACHIEVE SUB-STANTIAL REDUCTION IN SOIL CONCENTRATION OF PU AND TO REDUCE TO LOWEST PRACTICABLE LEVEL.

DEVELOPMENT OF SOIL-CONCENTRATIONS ASSOCIATED WITH MPC FOR 239, 240 PU IN AIR

LLL

RESUSPENSION-FACTOR APPROACH

1,000 pCi/g

MASS - LOADING APPROACH


600 pCi/g

LA-5483 - MS*

INTERIM STANDARD - CONSIDERING SEVERAL MECHANISMS OF EXPOSURE 400 pCi/g**

- *"A PROPOSED INTERIM STANDARD FOR PLUTONIUM IN SOILS,"
 BY J. W. HEALY
- **THE VALUE 400 pCi/g WAS RECOMMENDED FOR ALL PARTICLE SIZES PROVIDED NO MORE THAN 200 pCi/g in <100 MM SIZE FRACTION.

| FEDERAL STANDARDS | | AEC GUIDES | PREDICTED DOSE |
|-------------------|-------|--------------|----------------|
| whole body* | 0.50 | 0. 25 | C. 13 |
| BONE MARROW | C. 50 | 0. 25 | 0.15 |
| Genetic** | 5 | 4 | 2, 2 |



ISLANDSTHAT MAY SOMEDAT TELY ELLEN

- 3. FUTURE OF SMALL ISLANDS UNCERTAIN. THESE ARE OF LESS CONCERN.
- 4. AMOUNT OF EFFORT PROPERLY GIVEN INCREASES AS SOIL CONCENTRATIONS INCREASE.
- 5. WHEN ACTION IS TAKEN, OBJECTIVE IS TO ACHIEVE SUB-STANTIAL REDUCTION IN SOIL CONCENTRATION OF PU AND TO REDUCE TO LOWEST PRACTICABLE LEVEL.

DEVELOPMENT OF SOIL CONCENTRATIONS ASSOCIATED WITH MPC FOR 239, 240 PU IN AIR

LLL

RESUSPENSION-FACTOR APPROACH 1,000 pCi/g
MASS - LOADING APPROACH 600 pCi/g

LA-5483 - MS*

INTERIM STANDARD - CONSIDERING 400 I SEVERAL MECHANISMS OF EXPOSURE

400 pCi/g**

- *"A PROPOSED INTERIM STANDARD FOR PLUTONIUM IN SOILS,"
 BY J. W. HEALY
- **THE VALUE 400 pCi/g WAS RECOMMENDED FOR ALL PARTICLE SIZES PROVIDED NO MORE THAN 200 pCi/g in <100 MM SIZE FRACTION.

| FEDERAL STANDARDS | | AEC CUIDES | PREDICTED DOSE |
|-------------------------|------------|--------------|----------------|
| ahore boda _s | 0.50 | 0. 25 | 0.13 |
| Bone Marrow | 0.50 | 0. 25 | 0.15 |
| Genetic ^{**} | · 5 | 4 | 2. 2 |

AIR MONITORING RESULTS

YVONNE SOIL SAMPLING

| LOCATION | 239, 240 PU CONCENTRATION |
|---------------------------------|---|
| LAPEL MONITOR | 1.6 pCi/m ³ |
| 10' DOWNWIND SAMPLING TRENCH | 9.5 X 10 ⁻² pCi/m ³ |
| BACKGROUND | 7.4 X 10 ⁻³ pCi/m ³ |
| | |

MPC

RADIATION WORKER 2 pCi/m³
INDIVIDUAL (GENERAL PUBLIC) 6 X 10⁻² pCi/m³

SPECIFIC COMMINGE

< 40 pCi/g NO ACTION

40 - 400 pCi/g ACTION CONSIDERED ON A CASE-BY-CASE BASIS

> 400 pCi/g CORRECTIVE ACTION REQUIRED.

FOR ISLAND SOILS WITH 40-400 pCi/g:

- 1. DIVIDE ISLANDS INTO TWO CATEGORIES
 - a. TOO SMALL FOR PERMANENT HOUSING
 - b. LARGE ENOUGH FOR PERMANENT HOUSES.
- 2. REMOVAL OF CONTAMINATED SOIL BETTER JUSTIFIED FOR ISLANDS THAT MAY SOMEDAY HAVE PERMANENT HOUSING.
- 3. FUTURE OF SMALL ISLANDS UNCERTAIN. THESE ARE OF LESS CONCERN.
- 4. AMOUNT OF EFFORT PROPERLY GIVEN INCREASES AS SOIL CONCENTRATIONS INCREASE.
- 5. WHEN ACTION IS TAKEN, OBJECTIVE IS TO ACHIEVE SUB-STANTIAL REDUCTION IN SOIL CONCENTRATION OF PU AND TO REDUCE TO LOWEST PRACTICABLE LEVEL.

DEVELOPMENT OF SOIL-CONCENTRATIONS ASSOCIATED WITH MPC FOR 239, 240 PU IN AIR

LLL

RESUSPENSION-FACTOR APPROACH

1,000 pCi/g

MASS - LOADING APPROACH

600 pCi/g

LA-5483 - MS*

INTERIM STANDARD - CONSIDERING SEVERAL MECHANISMS OF EXPOSURE 400 pCi/g**

*"A PROPOSED INTERIM STANDARD FOR PLUTONIUM IN SOILS,"
BY J. W. HEALY

**THE VALUE 400 pCi/g WAS RECOMMENDED FOR ALL PARTICLE SIZES PROVIDED NO MORE THAN 200 pCi/g in <100 MM SIZE FRACTION.

| | L STANDARDS | AEC GUEDES | PREDICTED DOSE |
|-------------------------|--------------|------------|----------------|
| whole body [‡] | 0. 50 | 0. 23 | 0.13 |
| Bone Marrow | 0. 50 | 0. 23 | 0.15 |
| GENETIC ** | 5 | 4 | 2, 2 |

AIR MONITORING RESULTS

YVONNE SOIL SAMPLING

| LOCATION | 239, 240 PU CONCENTRATION | |
|---------------------------------|---|--|
| LAPEL MONITOR | 1.6 pCi/m ³ | |
| 10' DOWNWIND SAMPLING TRENCH | 9.5 × 10 ⁻² pCi/m ³ | |
| BACKGROUND | 7.4 × 10 ⁻³ pCi/m ³ | |

MPC

RADIATION WORKER 2 pCi/m³
INDIVIDUAL (GENERAL PUBLIC) 6 X 10⁻² pCi/m³

REPOSITORY PNNL
COLLECTION Marshall follows
BOX No. 5686
FOLDER Muchans Information

DOCUMENT DOES NOT CONTAIN ECI

Reviewed by 3 Skuella Date 5/1/97